New Mexico Geological Society

Downloaded from: https://nmgs.nmt.edu/publications/guidebooks/43



Roadlog References

(Includes references for all roadlogs in this volume.)

in:
San Juan Basin IV, Lucas, S. G.; Kues, B. S.; Williamson, T. E.; Hunt, A. P.; [eds.], New Mexico Geological Society 43rd Annual Fall Field Conference Guidebook, 411 p. https://doi.org/10.56577/FFC-43

This is a section from the 1992 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual Fall Field Conference that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

ROAD-LOG REFERENCES

Abert, J. W., 1846, Journal of Lieutenant J. W. Abert from Bent's Fort to St. Louis in 1845: 29th Congress, 1st Session, Senate Executive Document 438, 75 p.

Armstrong, R. L., Speed, R. C., Graustein, W. D. and Young, A. Y., 1976, K-Ar dates from Arizona, New Mexico, Montana, Nevada, Utah, and Wyoming: Isochron/West, v. 16, p. 1–16.

Aubele, J. C., Crumpler, L. S., Loeber, K. N. and Kudo, A. M., 1976, Maare and tuff rings of New Mexico: New Mexico Geological Society, Special Publication 6, p. 109–114.

Axelrod, D. I., 1983, Paleobotanical history of the western deserts; *in* Wells, S. G. and Haragan, D. R., eds., Origin and evolution of deserts: Albuquerque, University of New Mexico Press.

Bachman, G. O. and Mehnert, H. H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region: Geological Society of America Bulletin, v. 89, p. 283–292.

Bachman, G. O., Vine, J. D., Read, C. B. and Moore, G. W., 1959, Uranium-bearing coal and carbonaceous shale in the La Ventana Mesa area, Sandoval County, New Mexico: U.S. Geological Survey, Bulletin 1055-J, p. 295–307.

Baltz, E. H. Jr., 1967, Stratigraphy and regional tectonic implications of part of Upper Cretaceous and Tertiary rocks, east-central San Juan Basin, New Mexico: U.S. Geological Survey, Professional Paper 552, 101 p.

Baltz, E. H. Jr., Ash, S. R. and Anderson, R. Y., 1966, History of nomenclature and stratigraphy of rocks adjacent to the Cretaceous-Tertiary boundary, western San Juan basin, New Mexico: U.S. Geological Survey, Professional Paper 524D, p. 1–23.

Barnes, H., 1953, Geology of the Ignacio area, Ignacio and Pagosa Springs quadrangles, La Plata and Archuleta Counties, Colorado: U.S. Geological Survey, Oil and Gas Investigations Map OM 138.

Barnes, H., Baltz, R. H. Jr. and Hayes, P. T., 1954, Geology and fuel resources of the Red Mesa area, La Plata and Montezuma Counties, Colorado: U.S. Geological Survey, Oil and Gas Investigations Map OM 149.

Bauer, C. M., 1916, Contributions to the geology and paleontology of San Juan County, New Mexico. 1. Stratigraphy of a part of the Chaco River Valley: U.S. Geological Survey, Professional Paper 98-P, p. 271–278.

Bauer, C. M. and Reeside, J. B. Jr., 1921, Coal in the middle and eastern parts of the San Juan County, New Mexico: U.S. Geological Survey, Bulletin 716-G, p. 155–237.

Beaumont, E. C. and O'Sullivan, R. B., 1955, Preliminary geologic map of the Kirtland quadrangle, San Juan County, New Mexico: U.S. Geological Survey, Coal Investigations Map C32.

Bellis, D. and Wolberg, D. L., 1989, An unusual occurrence of the mineral huntite from the Late Cretaceous, coal-bearing Fruitland Formation, San Juan Basin, New Mexico: Geological Society of America, Abstracts with Programs, v. 21, p. 56.

Bielski, A. M., Brown, J. L. and Hassemer, J. R., 1983, Mineral resource potential of the Bisti, De-na-zin, and Ah-shi-sle-pah Wilderness Study Areas, San Juan County, New Mexico: U.S. Geological Survey, Open-File Report 83-889, 16 p.

Bilelo, M. A., 1969, The fossil shark genus *Squalicorax* in north-central Texas: Texas Journal of Science, v. 20, p. 339–348.

Bown, T. M. and Kraus, M. J., 1981, Lower Eocene alluvial paleosols (Willwood Formation, northwest Wyoming, U.S.A.) and their significance for paleoecology, paleoclimatology, and basin analysis: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 34, p. 31–56.

Bown, T. M. and Kraus, M. J., 1983, Ichnofossils of the alluvial Willwood Formation (lower Eocene), Bighorn Basin, northwest Wyoming, U.S.A.: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 43, p. 95–128.

Bown, T. M. and Kraus, M. J., 1987, Integration of channel and floodplain suites, I. Developmental sequence and lateral relations of alluvial paleosols: Journal of Sedimentary Petrology, v. 57, p. 587–601.

Bridge, J. S., 1984, Large-scale facies sequences in alluvial overbank environments: Journal of Sedimentary Petrology, v. 54, p. 585–588.

Bridge, J. S. and Leeder, M. R., 1979, A simulation model of alluvial stratigraphy: Sedimentology, v. 26, p. 617–644.

Brown, B., 1910, The Cretaceous Ojo Alamo beds of New Mexico with description of the new dinosaur genus *Kritosaurus:* American Museum of Natural History Bulletin, v. 28, p. 267–274.

Brown, W. G., 1988, Deformation style of Laramide uplifts in the Wyoming foreland: Geological Society of America, Memoir 171, p. 1–25.

Brown, D. E., Lowe, C. H. and Pase, C., 1979, A digitized classification system for the biotic communities of North America with community and association examples for the Southwest: Journal of Arizona-Nevada Academy of Science, v. 14 (Supplement), p. 1–16.

Bryan, K. and McCann, F. T., 1936, Successive pediments and terraces of the upper Rio Puerco in New Mexico: Journal of Geology, v. 44, p. 145–172.

Cappetta, H., 1987, Chondrichthyes II: Mesozoic and Cenozoic Elasmobranchii: Handbook of Paleoichthyology, volume 3B, Gustav Fisher Verlag, Stuttgart, 193 p.

Cas, R. A. F. and Wright, J. V., 1988, Volcanic successions: London, Unwin and Hyman, 259 p.

Case, G. R., 1978, a New selachian fauna from the Judith River Formation (Campanian) of Montana: Palaeontographica, Abteilung A, v. 176, p. 52–79.

Case, G. R., 1987, A new selachian fauna from the late Campanian of Wyoming (Teapot Sandstone Member, Mesaverde Formation, Big Horn Basin): Palaeontographica, Abteilung A, v. 197, p. 1–37.

Chilton, L., Chilton, K., Arango, P. E., Dudley, J., Neary, N. and Stelzner, P., 1984, New Mexico, a new guide to the colorful state: Albuquerque, University of New Mexico Press, 640 p.

Clemons, R. E., 1982, New Mexico highway geologic map: New Mexico Geological Society.

Clemens, W. A. Jr., 1973, The roles of fossil vertebrates in interpretation of Late Cretaceous stratigraphy of the San Juan Basin, New Mexico; *in* Fassett, J. E., ed., Cretaceous and Tertiary rocks of the southern Colorado Plateau: Four Corners Geological Society Memoir, p. 154–167.

Cobban, W. A., 1973, Significant ammonite finds in uppermost Mancos Shale and overlying formations between Barker Dome, New Mexico, and Grand Junction, Colorado; *in* Fassett, J. E., ed., Cretaceous and Tertiary rocks of the southern Colorado Plateau: Four Corners Geological Society Memoir, p. 148–153.

Cobban, W. A., Landis, E. R. and Dane, C. H., 1974, Age relations of upper part of Lewis Shale on east side of San Juan basin, New Mexico: New Mexico Geological Society, Guidebook 25, p. 279–282.

Coleman, J. M., 1969, Brahmaputra River: channel processes and sedimentation: Sedimentary Geology, v. 3, p. 129–239.

Collins, C. O., 1978, Bisti Carson Unit–Gallup Field; *in* Fassett, J. E., ed., Oil and Gas Fields of the Four Corners Area, Vol. 1: Farmington, Four Corners Geological Society.

Cope, E. D., 1875, Report on the geology of that part of northwestern New Mexico examined during the field-season of 1874: Appendix LL, Annual Report of the Chief of Engineers, for 1875, Annual Report of the Geographical and Geological Exploring Survey West of 100th Meridian (Wheeler), p. 981–1017.

Cross, W., Spencer, A. C. and Purington, C. W., 1899, Description of the La Plata quadrangle: U.S. Geological Survey, Geological Atlas, Folio 60, 14 p.

Crumpler, L. S., 1982, Volcanism in the Mount Taylor region: New Mexico Geological Society, Guidebook 33, p. 291–298.

Cully, A. and Knight, P., 1986, A Handbook of vegetation maps of New Mexico counties: New Mexico Natural Resources Department, Santa Fe.

Dane, C. H., 1936, The La Ventana–Chacra Mesa coal field: U.S. Geological Survey, Bulletin 860-C, p. 81–161.

Dane, C. H., 1946, Stratigraphic relations of Eocene, Paleocene, and latest Cretaceous formations of eastern side of San Juan Basin, New Mexico: U.S. Geological Survey, Oil and Gas Investigations, Preliminary Chart 24.

Dane, C. H. and Bachman, G. O., 1965, Geologic map of New Mexico: U.S. Geological Survey.

Dane, C. H., Kauffman, E. G. and Cobban, W. A., 1968, Semilla Sandstone, a new member of the Mancos Shale in the southeastern part of San Juan Basin, New Mexico: U.S. Geological Survey, Bulletin 1254-F, p. 1–21.

Devine, P. E., 1980, Depositional patterns in Point Lookout Sandstone, northwest San Juan Basin, New Mexico [M.S. thesis]: Austin, University of Texas, 238 p.

Devine, P. E., 1991, Transgressive origin of channeled estuarine deposits in the Point Lookout Sandstone, northwestern New Mexico: a model for Upper Cretaceous, cyclic regressive parasequences of the U.S. Western Interior: American Association of Petroleum Geologists Bulletin, v. 75, p. 1039–1063.

Dilworth, L. O., 1960, Upper Cretaceous Farmington Sandstone of northeastern San Juan County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 96 p.

Donart, G. B., Sylvester D. D. and Hickey, L. J., 1978, Potential natural vegetation of New Mexico: U.S.D.A. Soil Conservation Service.

Emmons, S. F., Cross, W. and Eldridge, G. H., 1896, Geology of the Denver basin in Colorado: U.S. Geological Survey, Monograph 27, 556 p.

Ewerts, C. H., 1987, Continental shelf evolution in response to a rise in sea level; *in* Nummedal, D. et al., eds., Sea-level fluctuation and coastal evolution: Society of Economic Paleontologists and Mineralogists, Special Publication no. 41, p. 49–58.

Fassett, J. E., 1966, Geologic map of the Mesa Portales quadrangle, Sandoval County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-590.

Fassett, J. E. and Hinds, J. S., 1971, Geology and fuel resources of the Fruitland Formation and Kirtland Shale of the San Juan Basin, New Mexico and Colorado: U.S. Geological Survey, Professional Paper 676, 73 p.

Fassett, J. E., Lucas, S. G. and O'Neill, F. M., 1987, Dinosaurs, pollen and spores, and the age of the Ojo Alamo Sandstone, San Juan Basin, New Mexico: Geological Society of America, Special Paper 209, p. 35–50.

Fleming, T. F., 1989, New reference sections for the Semilla Sandstone Member of the Mancos Shale and their genetic implications: New Mexico Geology, v. 11, p. 1–7.

Flores, R. M. and Erpenbeck, M. F., 1981, Differentiation of contemporaneous delta-front and beach-barrier lithofacies of the Upper Cretaceous Pictured Cliffs Sandstone, southwest San Juan Basin, New Mexico: Mountain Geologist, v. 18, p. 23–34.

Flynn, L. J., 1986, Late Cretaceous mammal horizons from the San Juan Basin, New Mexico: American Museum Notitates no. 2845, p. 1–30.

Foster, W., 1913, Remarkable carbonaceous deposit near Putman, New Mexico: Economic Geology, v. 8, p. 360–368.

Frazier, D. E., 1967, Recent deltaic deposits of the Mississippi delta: their development and chronology: Transactions of the Gulf Coast Association of Geologists, v. 17, p. 287–315.

Fuchs-Parker, J. W., 1977, Alibi for a Mesaverde misfit—La Ventana Formation, Cretaceous delta, New Mexico: New Mexico Geological Society, Guidebook 28, p. 199–206.

Gardner, J. H., 1909, The coal field between Durango, Colorado and Monero, New Mexico: U.S. Geological Survey, Bulletin 341-C, p. 352–363.

Gardner, J. H., 1910, The coal field between San Mateo and Cuba, New Mexico: U.S. Geological Survey, Bulletin 381-C, p. 461–473.

Gassaway, J. S., 1991, Laramide silcrete in North America: Geological Society of America, Abstracts with Programs, v. 23, p. 23.

Gill, J. R. and Cobban, W. A., 1966, The Red Bird section of the Upper Cretaceous Pierre Shale in Wyoming: U.S. Geological Survey, Professional Paper 393-A, p. 1–69.

Gilmore, C. W., 1935, On the Reptilia of the Kirtland Formation of New Mexico, with descriptions of new species of fossil turtles: Proceedings of the U.S. National Museum, v. 83, p. 159–188.

Gorham, F. D., Woodward, L. A., Callender, J. F. and Greer, A. R., 1977, Fracture permeability in Cretaceous rocks of the San Juan Basin: New Mexico Geological Society, Guidebook 28, p. 235–241.

Granger, W., 1917, Notes on Paleocene and lower Eocene mammal horizons of northern New Mexico and southern Colorado: American Museum of Natural History, Bulletin, v. 37, p. 821–830.

Gregory, H. E., 1917, Geology of the Navajo country: U.S. Geological Survey, Professional Paper 93, 161 p.

Harms, J. C., Southard, J. B. and Walker, R. G., 1982, Structures and sequences in clastic rocks: Society of Economic Paleontologists and Mineralogists, Short Course Notes, no. 9, 183 p.

Haskin, R. A., 1980, Magnetic polarity stratigraphy and fossil Mammalia of the San Jose Formation, Eocene, New Mexico [M.S. thesis]: Tucson, University of Arizona, 105 p.

Hayes, P. T. and Zapp, A. D., 1955, Geology and fuel resources of the Upper Cretaceous rocks of the Barker Dome–Fruitland area, San Juan County, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map 144.

Hollenshead, C. T. and Pritchard, R. L., 1961, Geometry of producing Mesaverde sandstones, San Juan Basin; *in* Geometry of sandstone bodies: Tulsa, American Association of Petroleum Geologists, p. 98–118.

Holmes, W. H., 1877, Report [on the San Juan district, Colorado]: U.S. Geological and Geographical Survey of the Territories, 9th Annual Report, p. 237–276.

Hughes, D. A. and Lewin, J., 1982, A small-scale flood plain: Sedimentology, v. 29, p. 891–895.

Hunt, A. P., 1984, Stratigraphy, sedimentology, taphonomy and magnetostratigraphy of the Fossil Forest area, San Juan County, New Mexico [M.S. thesis]: Soccoro, New Mexico Institute of Mining and Technology, 338 p.

Hunt, A. P., 1986, "Bisti Member" of the Kirtland Shale, San Juan Basin, New Mexico: implications for basin development: Geological Society of America, Abstracts with Programs, v. 24, p. 26–27.

Hunt, A. P., 1991, Integrated vertebrate, invertebrate and plant taphonomy of the Fossil Forest area (Fruitland and Kirtland formations: Late Cretaceous), San Juan County, New Mexico, USA: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 88, p. 85–107.

Hunt, R. M. Jr., 1990, Taphonomy and sedimentology of Arikaree (lower Miocene) fluvial, eolian, and lacustrine paleoenvironments, Nebraska and Wyoming: a paleobiota entombed in fine-grained volcaniclastic rocks: Geological Society of America, Special Paper 244, p. 69–111.

Katzman, D., 1991, Hierarchy of transgressive-regressive shoreline cycles and transgressive deposits in the Upper Cretaceous Point Lookout Sandstone, southwestern Colorado [M.S. thesis]: Albuquerque, University of New Mexico, 71 p.

Keyes, C. R., 1906, Geological section of New Mexico: Science, v. 23, p. 921–922.

Khalaf, F. I., 1988, Petrography and diagenesis of silcrete from Kuwait, Arabian Gulf: Journal of Sedimentary Petrology, v. 58, p. 1014–1022.

Kofron, B. M., 1987, Facies characteristics of the Upper Cretaceous Tocito Sandstone, San Juan Basin, New Mexico [M.S. thesis]: Baton Rouge, Louisiana State University, 104 p.

Kraus, M. J., 1987, Integration of channel and floodplain suites, II. Vertical relations of alluvial paleosols: Journal of Sedimentary Petrology, v. 57, p. 602–612.

Kraus, M. J. and Middleton, L. T., 1987, Dissected paleotopography and base-level changes in a Triassic fluvial sequence: Geology, v. 15, p. 18–21.

Kues, B. S., Froehlich, J. W., Schiebout, J. A. and Lucas, S. G., 1977, Paleontological survey, resource assessment, and mitigation plan for the Bisti–Star Lake area, northwestern New Mexico: unpublished report to U.S. Bureau of Land Management, Albuquerque Office, 1525 p.

LaFon, N. A., 1981, Offshore bar deposits of Semilla Sandstone Member of Mancos Shale (Upper Cretaceous), San Juan Basin, New Mexico: American Association of Petroleum Geologists Bulletin, v. 65, p. 706–721.

Landis, E. R. and Dane, C. H., 1967, Geologic map of Tierra Amarilla quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 19.

Landis, E. R., Dane, C. H. and Cobban, W. A., 1974, Cretaceous rocks of the Tierra Amarilla coal field and adjacent areas, Rio Arriba County, New Mexico: New Mexico Geological Society, Guidebook 25, p. 231–238.

Leckie, D. A. and Cheel, R. J., 1990, Nodular silcretes of the Cypress Hills Formation (upper Eocene to middle Miocene) of southern Saskatchewan, Canada: Sedimentology, v. 37, p. 445–454.

Lee, W. T., 1917, Geology of the Raton Mesa and other regions in Colorado and New Mexico: U.S. Geological Survey, Professional Paper 101, 221 p.

Lehman, T. M., 1981, The Alamo Wash local fauna: a new look at the old Ojo Alamo fauna; *in* Lucas, S. G., Rigby, J. K. Jr. and Kues, B. S., eds., Advances in San Juan Basin paleontology: Albuquerque, University of New Mexico Press, p. 189–221.

Lehman, T. M., 1984, The multituberculate *Essonodon browni* from the Upper Cretaceous Naashoibito Member of the Kirtland Shale, San Juan Basin, New Mexico: Journal of Vertebrate Paleontology, v. 4, p. 602–603.

Lehman, T. M., 1985, Depositional environments of the Naashoibito Member of the Kirtland Shale, Upper Cretaceous, San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 195, p. 55–79.

Love, D. W., 1980, Quaternary geology of Chaco Canyon, northwestern New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 613 p.

Lucas, S. G., 1981, Dinosaur communities of the San Juan Basin: a case for lateral variations in the composition of Late Cretaceous dinosaur communities; *in* Lucas, S. G., Rigby, J. K. Jr. and Kues, B. S., eds., Advances in San Juan Basin paleontology: Albuquerque, University of New Mexico Press, p. 337–393.

Lucas, S. G., 1984a, Puercan (early Paleocene) biostratigraphy, Nacimiento Formation, San Juan Basin, New Mexico: Geological Society of America, Abstracts with Programs, v. 16, p. 245.

Lucas, S. G., 1984b, Early Paleocene vertebrates, stratigraphy and biostratigraphy, west fork of Gallegos Canyon, San Juan Basin, New Mexico: New Mexico Geology, v. 6, p. 56–60.

Lucas, S. G. and Mateer, N. J., 1983, Vertebrate paleoecology of the late Campanian (Cretaceous) Fruitland Formation, San Juan Basin, New Mexico, (USA): Acta Palaeontologia Polonica, v. 28, p. 195–204.

Lucas, S. G., Hunt, A. P. and Pence, R., 1988, Some Late Cretaceous reptiles from New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 122, p. 49–60.

Lucas, S. G., Manning, R. M. E. and Tsentas, C., 1981, The Eocene biostratigraphy of New Mexico: Geological Society of America Bulletin, v. 92, p. 951–957.

Lucas, S. G., Mateer, N. J., Hunt, A. P. and O'Neill, F. M., 1987, Dinosaurs, the age of the Fruitland and Kirtland formations, and the Cretaceous-Tertiary boundary in the San Juan Basin, New Mexico: Geological Society of America, Special Paper 209, p. 35–50.

Lucas, S. G., Kues, B. S., Hayden, S. N., Allen, B. D., Kietzke, K. K., Williamson, T. E., Sealey, P. and Pence, R., 1988, Cretaceous stratigraphy

and biostratigraphy, Cooke's Range, Luna County, New Mexico: New Mexico Geological Society, Guidebook 39, p. 143–167.

Matthew, W. D., 1897, A revision of the Puerco fauna: Bulletin of the American Museum of Natural History, v. 9, p. 259–323.

Matthew, W. D., 1937, Paleocene faunas of the San Juan Basin: Transactions of the American Philosophical Society, v. 30, p. 1–510.

McFadden, L. D., Wells, S. G. and Schultz, J. D., 1983, Soil development on Late Quaternary eolian deposits, San Juan Basin, New Mexico; *in* Wells, S. G., Love, D. W. and Gardner, T. W., eds., Chaco Canyon Country: American Geomorphological Field Group, Field Trip Guidebook, 1983 Conference, p. 167–175.

Meek, F. B., 1876, A report on the invertebrate Cretaceous and Tertiary fossils of the upper Missouri country: U.S. Geological Survey of the Territories (Hayden) Report, v. 9, 629 p.

Meyer, R. L., 1974, Late Cretaceous elasmobranchs from Mississippi and East Texas [Ph.D. dissertation]: Dallas, Southern Methodist University, 419 p.

Miall, A. D., 1978, Lithofacies types and vertical profile models in braided river deposits: Canadian Society of Petroleum Geologists, Memoir 3, p. 397–604.

Miall, A. D., 1985, Architectoral-element analysis: a new method of facies analysis applied to fluvial deposits: Earth Science Reviews, v. 22, p. 261–308.

Molenaar, C. M., 1983, Major depositional cycles and regional correlations of Upper Cretaceous rocks, southern Colorado Plateau and adjacent areas; *in* Reynolds, M. W. and Dolly, E. D., eds., Mesozoic paleogeography of the west-central United States: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Denver, p. 201–224.

Morain, S. A., Budge, T. K. and White, M. E., 1977, Vegetation and land use in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map 8.

Murray, R. C., 1990, Diagenetic silica stratification in a paleosilcrete, North Texas: Journal of Sedimentary Petrology, v. 60, p. 717–720.

Newman, K. R., 1982, Biostratigraphy of Fruitland, Kirtland and Animas Formations (Cretaceous and Paleocene), northern San Juan basin, Colorado: Geological Society of America, Abstracts with Programs, v. 14, p. 344.

Newman, K. R., 1983, Biostratigraphic correlation of K-T rocks from northwestern Colorado to San Juan basin, Colorado and New Mexico: Geological Society of America, Abstracts with Programs, v. 15, p. 307.

Nickelson, H. B., 1988, One hundred years of coal mining in the San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 111, p. 173–201.

Nicholls, E. L. and Russell, A. P., 1990, Paleobiogeography of the Cretaceous Western Interior Seaway of North America: the vertebrate evidence: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 79, p. 149–169.

Nummedal, D., Wright, R., Swift, D. J. P., Tillman, R. W. and Wolter, N. R., 1989, Depositional systems architecture of shallow marine sequences; *in* Nummedal, D. and Wright, R., eds., Cretaceous shelf sandstones and shelf depositional sequences, Western Interior basin, Utah, Colorado, and New Mexico: American Geophysical Union 28th International Geological Congress, Field Trip Guidebook T119, p. 35–87.

Osborn, H. F., 1923, A new genus and species of Ceratopsia from New Mexico: American Museum Notitates, no. 93, p. 1–3.

O'Sullivan, R. B. and Beikman, H. M., 1963, Geology, structure and uranium deposits of the Shiprock quadrangle, New Mexico and Arizona: U.S. Geological Survey, Miscellaneous Geological Investigations Map I-345.

O'Sullivan, R. B., Repenning, C. A., Beaumont, E. C. and Page, H. G., 1972, Stratigraphy of the Cretaceous rocks and the Tertiary Ojo Alamo sandstone, Navajo and Hopi reservations, Arizona, and Utah: U.S. Geological Survey, Professional Paper 521-E, p. 1–65.

Palmer, J. J. and Scott, A. J., 1984, Stacked shoreline and shelf sandstones of the La Ventana Tongue (Campanian), northwestern New Mexico; American Association of Petroleum Geologists, Bulletin, v. 68, p. 74–91.

Pearce, T. M., 1965, New Mexico place names: Albuquerque, University of New Mexico Press, 187 p.

Plint, A. G., 1988, Sharp-based shoreface sequences and "offshore bars" in the Cardium Formation of Alberta: their relationship to relative changes in sea level; *in* Wilgus, C. et al., eds., Sea-level changes: an integrated approach: Society of Economic Paleontologists and Mineralogists, Special Publication 42, p. 357–370.

Preston, D., 1991, Hot on the trail: modern explorers retrace Indian trade route: New Mexico Magazine, June 1991, p. 52–61

Rains, G. E., 1981, Paleocene silcrete beds in the San Juan Basin [M.S. thesis]: Tucson, University of Arizona, 81 p.

Rankin, C. H., 1944, Stratigraphy of the Colorado Group, Upper Cretaceous in northern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 20, 30 p.

Ratcliffe, B. C. and Fagerstrom, J. A., 1980, Invertebrate lebensspuren of Holocene floodplains: their morphology, origin and paleoecological significance: Journal of Paleontology, v. 54, p. 614–630.

Reeside, J. B. Jr., 1924, Upper Cretaceous and Tertiary formations of the western part of the San Juan Basin, Colorado and New Mexico: U.S. Geological Survey, Professional Paper 134, p. 1–70.

Reeside, J. B., 1927, The cephalopods of the Eagle Sandstone and related formations in the Western Interior of the United States: U.S. Geological Survey, Professional Paper 151, 87 p.

Retallack, G. R., 1977, Triassic palaeosols in the upper Narrabeen Group of New South Wales. Part II: classification and reconstruction: Journal of the Geological Society of Australia, v. 24, p. 19–35.

Retallack, G. R., 1983, Late Eocene and Oligocene paleosols from Badlands National Park, South Dakota: Geological Society of America, Special Paper 193, 82 p.

Rigby, J. K. Jr. and Clement, H. A., 1983, A large chondrichthian fauna from the Pictured Cliffs Sandstone, Cretaceous (Campanian), San Juan Basin, New Mexico: Geological Society of America, Abstracts with Programs, v. 15, p. 260.

Rigby, J. K. Jr. and Wolberg, D. L., 1987, The therian mammalian fauna (Campanian) of Quarry 1, Fossil Forest study area, San Juan Basin, New Mexico: Geological Society of America, Special Paper 209, p. 51–80.

Romer, A. S., 1960, The vertebrate fauna of the New Mexico Permian: New Mexico Geological Society, Guidebook 11, p. 48–53.

Ryer, T. A., 1977, Patterns of Cretaceous shallow-marine sedimentation, Coalville and Rockport areas, Utah: Geological Society of America Bulletin, v. 88, p. 177–188.

Ryer, T. A., 1981, Deltaic coals of Ferron Sandstone Member, Mancos Shale: predictive model for Cretaceous coal-bearing strata of Western Interior: American Association of Petroleum Geologists Bulletin, v. 65, p. 2323–2340.

Ryer, T. A., 1983, Transgressive-regressive cycles and the occurrence of coal in some Upper Cretaceous strata of Utah: Geology, v. 11, p. 201–210.

Sabins, F. F., 1978, Bisti Lower Gallup Field; *in* Fassett, J. E., ed., Oil and Gas Fields of the Four Corners Area, Vol. 1: Farmington, Four Corners Geological Society.

Sealey, P. and Lucas, S. G., 1991, Paleontology of the Upper Cretaceous Pierre Shale, Turkey Creek Canyon area, Colfax County, New Mexico: New Mexico Journal of Science, v. 31, p. 37–47.

Sears, J. D., Hunt, C. B. and Hendricks, T. A., 1941, Transgressive and regressive Cretaceous deposits in southern San Juan Basin, New Mexico: U.S. Geological Survey, Professional Paper 193F, p. 101–121.

Shaler, M. K., 1907, A reconnaissance of the western part of the Durango-Gallup coal field of Colorado and New Mexico: U.S. Geological Survey, Bulletin 316-F, p. 376–426.

Sherman, J. E. and Sherman, B. H., 1977, Ghost towns and mining camps of New Mexico: Norman, University of Oklahoma Press, 136 p.

Shetiwy, M. M., 1978, Sedimentologic and stratigraphic analysis of the Point Lookout sandstone, southeast San Juan Basin, New Mexico [Ph.D. dissertation]: Socorro, New Mexico Institute of Mining and Technology, 262 p.

Shomaker, J. W., Beaumont, E. C. and Kottlowski, F. E., 1971, Strippable coal resources of the San Juan Basin in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Memoir 25, 94 p.

Siemers, C. T. and Wadell, J. S., 1977, Humate deposits of the Menefee Formation (Upper Cretaceous), northwestern New Mexico: Supplement to New Mexico Geological Society, Guidebook 28, p. 1–21.

Siemers, C. T., King, N. R. and Mannhard, G. W., 1975, Upper Jurassic and Upper Cretaceous stratigraphy and sedimentology, eastern San Juan Basin, New Mexico; *in* Field trips to central New Mexico: American Association of Petroleum Geologists, Rocky Mountain Section, Albuquerque, p. 67–70.

Sikkink, P. G. L., 1987, Lithofacies relationships and depositional environments of the Tertiary Ojo Alamo Sandstone and related strata, San Juan Basin, New Mexico and Colorado: Geological Society of America, Special Paper 209, p. 81–104.

Simpson, G. G., 1948, The Eocene of the San Juan Basin, New Mexico: American Journal of Science, v. 246, p. 257–282, 363–385.

Simpson, G. G., 1959, Fossil mammals from the type area of the Puerco and Nacimiento strata, Paleocene of New Mexico: American Museum Novitates, no. 1957, 22 p.

Sinclair, W. J. and Granger, W., 1914, Paleocene deposits of the San Juan Basin, New Mexico: Bulletin of the American Museum of Natural History, v. 33, p. 297–316.

Smith, L. N. and Lucas, S. B., 1991, Stratigraphy, sedimentology, and paleontology of the San Jose Formation in the central San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 126, 44 p.

Spang, J. and Evans, J., 1988, Geometrical and mechanical constraints on

basement-involved thrusts in the Rocky Mountain foreland province: Geological Society of America, Memoir 171, p. 41–51.
Stanton, T. W., 1899, Mesozoic fossils [of Yellowstone Park]: U.S. Geological Survey, Monograph 32, p. 600–650.
Strobell, J. D., O'Sullivan, R. B., Mytton, J. W. and Erpenbeck, M. F., 1985, Preliminary geologic map of the Pretty Rock Quadrangle, San Juan County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1788.
Summerfield, M. A., 1983a, Silcrete as a paleoclimatic indicator: evidence from southern Africa: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 41, p. 65–79.
Summerfield, M. A., 1983b, Silcrete; *in* Goudie, A. S. and Pye, K., eds., Chemical sediments and geomorphology: London, Academic Press, p. 59–91.
Swift, D. J. P., Figueiredo, A. G. Jr., Freeland, G. L. and Oertel, G. F., 1983, Hummocky cross-stratification and megaripples: a geological double standard: Journal of Sedimentary Petrology, v. 53, p. 1295–1317.
Tabet, D. E. and Frost, S. J., 1979, Coal geology of Torreon Wash area, southeast San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 46.
Thiry, M. and Millot, G., 1987, Mineralogical forms of silica and their sequence of formation in silcretes: Journal of Sedimentary Petrology, v. 57, p. 343–352.
Tidwell, W. D., Ash, S. R. and Parker, L. R., 1981, Cretaceous and Tertiary floras of the San Juan Basin; *in* Lucas, S. G., Rigby, J. K. Jr. and Kues, B. S., eds., Advances in San Juan Basin paleontology: Albuquerque, University of New Mexico Press, p. 307–332.
Twidale, C. R. and Milnes, A. R., 1983, Aspects of the distribution and disintegration of siliceous duricrusts in arid Australia: Geology Mijnbouw, v. 62, p. 373–382.
U.S. Bureau of Land Management, July 1986, Fossil Forest Research Natural Area final Interim Management Plan: Farmington Resource Area.
U.S. Department of Agriculture, 1978, Field guide to native vegetation of the Southwest region: U.S. Government Printing Office.
Van Valen, L., 1978, The beginning of the age of mammals: Evolutionary Theory, v. 4, p. 45–80.
Van Wagoner, J. C., Mitchum, R. M. Jr., Posamentier, H. W. and Vail, R. R., 1987, Key definitions of seismic stratigraphy; *in* Baly, A. W., ed., Atlas of seismic stratigraphy: American Association of Petroleum Geologists, Studies in Geology, v. 27, p. 11–14.
Van Wagoner, J. C., Posamentier, H. W., Mitchum, R. M. Jr., Vail, P. R., Sarg, J. F., Loutit, T. S. and Hardenbol, J., 1988, An overview of the fundamentals of sequence stratigraphy and key definitions; *in* Wilgus, C. et al., eds., Sea-level changes: an integrated approach: Society of Economic Paleontologists and Mineralogists, Special Publication 42, p. 39–46.
Vazzana, M. E. and Ingersoll, R. V., 1981, Stratigraphy, sedimentology, petrology and basin evolution of the Abiquiu Formation (Oligo-Miocene), north-central New Mexico: Geological Society of America Bulletin, v. 92, pt. 1, p. 990–992, and pt. II, p. 2401–2483.
Vincelette, R. R. and Chittum, W. E., 1981, Exploration for oil accumulations in Entrada Sandstone, San Juan Basin, New Mexico: American Association of Petroleum Geologists Bulletin, v. 65, p. 2546–2570.
Wells, S. G., 1983, Regional badland development and models of Late Quaternary evolution of badland watersheds, San Juan Basin, New Mexico; *in* Wells, S. G., Love, D. W. and Gardner, T. W., eds., Chaco Canyon Country: American Geomorphological Field Group, Field Trip Guidebook, 1983 Conference, p. 121–132.
Wells, S. G. and Jercinovic, D. E., 1983, Applications of geomorphology to surface coal-mining reclamation, northwestern New Mexico; *in* Wells, S. G., Love, D. W. and Gardner, T. W., eds., Chaco Canyon Country: American Geomorphological Field Group, Field Trip Guidebook, 1983 Conference, p. 133–148.
Wells, S. G., Jercinovic, D. E., Smith, L. N., Gutierrez, A. A., Pickle, J. and Love, D. W., 1983, Instrumented watersheds in the coal fields of northwestern New Mexico; *in* Wells, S. G., Love, D. W. and Gardner, T. W., eds., Chaco Canyon Country: American Geomorphological Field Group, Field Trip Guidebook, 1983 Conference, p. 99–112.
Werner, C., 1989, Die Elasmobranchier-Fauna des Gebel Dist Member der Bahariya Formation (Obercenoman) der Oase Bahariya, Agypten: Palaeo Ichthyologica, v. 5, p. 1–112.
Williamson, T. E. and Lucas, S. G., 1990, Late Cretaceous vertebrates from the Mulatto Tongue of the Mancos Shale, central New Mexico: New Mexico Journal of Science, v. 30, p. 27–34.
Williamson, T. E. and Lucas, S. G., 1991a, Type section of the Paleocene Nacimiento Formation, San Juan Basin, northwestern New Mexico: New Mexico Geology, v. 13, p. 61.
Williamson, T. E. and Lucas, S. G., 1991b, What is the Puercan-Torrejonian Boundary?: Geological Society of America, Abstracts with Programs, v. 23, p. 106.
Williamson, T. E. and Lucas, S. G., 1992, Stratigraphy of the Paleocene Nacimiento Formation, southern San Juan Basin, New Mexico: New Mexico Geology, in press.
Williamson, T. E., Kirkland, J. I. and Lucas, S. G., 1992, Selachians from the Greenhorn cyclothem ("middle" Cretaceous: Cenomanian-Turonian), Black Mesa, Arizona, and the paleogeographic distribution of Late Cretaceous selachians: Journal of Paleontology, in press.
Williamson, T. E., Lucas, S. G. and Pence, R., 1989, Selachians from the Hosta Tongue of the Point Lookout Sandstone (Upper Cretaceous, Santonian), central New Mexico: New Mexico Geological Society, Guidebook 40, p. 239–245.
Wing, S. L., 1984, Relation of paleovegetation to geometry and cyclicity of some fluvial carbonaceous deposits: Journal of Sedimentary Petrology, v. 54, p. 52–66.
Wohletz, K. H. and Sheridan, M. F., 1983, Hydrovolcanic explosions II: Evolution of basaltic tuff rings and tuff cones: American Journal of Science, v. 283, p. 385–413.
Wolberg, D. L., Bellis, D., Austin, G. S. and Domski, P., 1989, Paleoenvironmental implications of first documented occurrence of unsual carbonate mineral, huntite, in Late Cretaceous Fruitland Formation, San Juan Basin, New Mexico: American Association of Petroleum Geologists Bulletin, v. 73, p. 1179.
Wolberg, D. L., Hall, J. P., Bellis, D., Chavez, W. X., Anderson, O., Moro, R. and Gil, A., 1988, Regional historic, stratigraphic and paleontologic framework of the Late Cretaceous (Campanian-Maastrichtian) Fossil Forest locality near Split Lip Flats, San Juan Basin, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 122, p. 7–21.
Wood, H. E., Chaney, R. W., Clark, J., Colbert, E. H., Jepsen, G. L., Reeside, J. B. Jr. and Stock, C., 1941, Nomenclature and correlation of the North American continental Tertiary: Geological Society of America Bulletin, v. 52, p. 1–48.
Woodward, L. A., 1987, Geology and mineral resources of Sierra Nacimiento and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 42, 84 p.
Woodward, L. A. and Schumacher, O. L., 1973, Geologic map and sections of La Ventana quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 28.
Wright, R., 1984, Paleoenvironmental interpretation of the Upper Cretaceous Point Lookout Sandstone: implication for shoreline progradation and basin tectonic history, San Juan Basin, New Mexico [Ph.D. dissertation]: Houston, Rice University, 404 p.
Wright, R., 1986, Cycle stratigraphy as a paleogeographical tool: Point Lookout Sandstone, southwestern San Juan Basin, New Mexico: Geological Society of America Bulletin, v. 96, p. 661–673.
Wright, R., 1989, Influence of high-frequency strandline cycles upon internal reservoir geometry: Point Lookout Sandstone, New Mexico and Colorado: American Association of Petroleum Geologists Bulletin, v. 73, p. 427.
Wright, R. and Hayden, S., 1988, Stops 8 & 9, Point Lookout Cliffs, Arroyo Balcon; *in* Nummedal, D., Wright, R. and Swift, D. J. P., eds., Sequence stratigraphy of Upper Cretaceous strata of the San Juan Basin, New Mexico: Society of Economic Petrologists and Mineralogists Field Guide, 73rd Annual Meeting AAPG/SEPM, Houston, Texas, p. 109–125.
Zapp, A. D., 1949, Geology and coal resources of the Durango area, La Plata and Montezuma Counties, Colorado: U.S. Geological Survey, Oil and Gas Investigations Map 109.