REFERENCES

Abbott, J. C., 1995, Constraints on the deformational history of the Tijeras-Cañoncito fault system, north-central New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 161 p.

Abbott, J. C., Cather, S. M. and Goodwin, L. B., 1995, Paleogene synorogenic sedimentation in the Galisteo basin related to the Tijeras–Cañoncito fault system: New Mexico Geological Society, Guidebook 46, p. 271–278.

Allen, B. D., 1993, Late Quatemary lacustrine record of paleoclimate from Estancia basin, central New Mexico, USA [Ph.D. dissertation]: Albuquerque, University of New Mexico, 94 p.

Allen, B. D. and Anderson, R. Y., 1993, Evidence from western North America for rapid shifts in climate during the last glacial maximum: Science, v. 260, p.1920–1923.

Allen, B. D. and Anderson, R. Y., *in press*, A continuous, high-resolution record of Late Pleistocene climate variability from Estancia basin, NM: Geological Society of America Bulletin.

Anderson, O. J. and Lucas, S. G., 1997, The Upper Jurassic Morrison Formation in the Four Corners region: New Mexico Geological Society, Guidebook 48, p. 139–155.

Andronicos, C. L., Karlstrom, K. E., Nyman, M. W., Kirby, E. and Timmons, M. J., *in press*, Interactions of metamorphism, deformation, and plutonism in low-pressure, high-temperature metamorphic belts: An example from the Mesoproterozoic Sandia pluton, New Mexico, U.S.A.: Journal of Metamorphic Geology.

Armstrong, A. K., 1955, Preliminary observations on the Mississippian System of northern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 39, 42 p.

Armstrong, A. K. and Holcomb, L. D., 1989, Stratigraphy, facies and paleotectonic history of Mississippian rocks in the San Juan Basin of northwestern New Mexico and adjacent areas: New Mexico Geological Society, Guidebook 40, p. 159–166.

Armstrong, A. K. and Mamet, B. L., 1974, Biostratigraphy of the Arroyo Peñasco Group, Lower Carboniferous (Mississippian), north-central New Mexico: New Mexico Geological Society, Guidebook 25, p. 145–158.

Armstrong, A. K. and Mamet, B. L., 1990, Stratigraphy, facies and paleotectonics of the Mississippian System, Sangre de Cristo Mountains, New Mexico and Colorado and adjacent areas: New Mexico Geological Society, Guidebook 41, p. 241–249.

Armstrong, A. K., Kottlowski, F. E., Stewart, W. J., Mamet, B. L., Baltz, E. H., Jr., Siemers, C. T. and Thompson, S., III, 1979, The Mississippian and Pennsylvanian (Carboniferous) systems in the United States—New Mexico: U.S. Geological Survey, Professional Paper 1110-M-DD, p. 1–27.

Ash, S. and Tidwell, W. D., 1982, Notes on the upper Paleozoic plants of central New Mexico: New Mexico Geological Society, Guidebook 33, p. 245–248.

Aubele, J. C., 1978a, Geology of the Cerros del Rio volcanic field, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 136 p.

Aubele, J. C., 1978b, Geology of Cerros del Rio volcanic field; *in* Hawley, J. W. ed., Guidebook to Rio Grande rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 198–201.

Aubele, J. C., 1979, The Cerros del Rio volcanic field: New Mexico Geological Society, Guidebook 30, p. 243–252.

Aubele, J. C., Crumpler, L. S., Loeber, K. N. and Kudo, A. M., 1976, Maare and tuff rings of New Mexico; *in* Woodward, L. A. and Northrop, S. A., eds., Tectonics and Mineral Resources of southwestern North America: New Mexico Geological Society, Special Publication No. 6, p. 109–114.

Aubrey, W. M., 1988, The Encinal Canyon Member, a new member of the Upper Cretaceous Dakota Sandstone in the southern and eastern San Juan Basin, New Mexico: U.S. Geological Survey, Bulletin 1633-C, p. 59–69.

Austin, G. S., Barker, J. M. and Smith, E. W., 1998, Active and recently active construction material and aggregate operations in Doña Ana County, New Mexico: New Mexico Geological Society, Guidebook 49, p. 287–298.

Baars, D. L. and Stevenson, G. M., 1982, Subtle stratigraphic traps in Paleozoic rocks of Paradox basin; *in* Halbouty, M. T., ed., Deliberate search for the subtle trap: American Association of Petroleum Geology, Memoir 32, p. 131–158.

Bachhuber, F. W., 1971, Paleolimnology of Lake Estancia and the Quaternary history of the Estancia Valley, central New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 238 p.

Bachman, G. O. and Menhert, H. H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region, New Mexico: Geological Society of America Bulletin, v. 89, p. 283–292.

Bailey, R. A. and Smith, R. L., 1978, Guide to the Jemez Mountains and Española basin: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 184–196.

Bailey, R. A., Smith, R. L. and Ross, C. S., 1969, Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, New Mexico; U.S. Geological Survey, Bulletin 1274-P, 19 p.

Baldridge, W. S., 1979, Petrology and petrogenesis of Plio–Pleistocene basaltic rocks from the central Rio Grande rift, New Mexico, and their relation to rift structure; *in* Reicker, R. E., ed., Rio Grande rift: Tectonics and magmatism: American Geophysical Union, Special Publication, p. 323–351.

Bauer, P. W. and Ralser, S., 1995, The Picuris-Pecos fault—repeatedly reactivated, from Proterozoic(?) to Neogene: New Mexico Geological Society, Guidebook 46, p. 111–115.

Baltz, E. H. and Read, C. B., 1960, Rocks of Mississippian and probable Devonian age in Sangre de Cristo Mountains, New Mexico: American Association of Petroleum Geologists Bulletin, v. 44, p. 1749–1774.

Bambach, R. K., Scotese, C. R. and Ziegler, A. M., 1980, Before Pangea: The geographies of the Paleozoic world: American Scientist, v. 68, p. 26–38.

Berman, D. S., 1973, A trimerorhachid amphibian from the Upper Pennsylvanian of New Mexico: Journal of Paleontology, v. 47, p. 932–945.

Black, B. A. and Hiss, W. L., 1974, Structure and stratigraphy in the Shell Oil Co. Santa Fe Pacific No. 1 test well, southern Sandoval County, New Mexico: New Mexico Geological Society, Guidebook 25, p. 365–370.

Blake, W. P., 1856, Report on the geology of the route No. 2—Resumé and field notes by Jules Marcou, a translation; *in* Reports of explorations and surveys to ascertain the most practicable and economical route for a railroad from the Mississippi River to the Pacific Ocean, vol. 3, part IV: 33rd Congress, 2nd Session, Senate Executive Document 78 and House Executive Document 91, p. 121–164.

Bowring, S. A. and Condie, K. C., 1982, U-Pb zircon ages from northern and central New Mexico: Geological Society of America, Abstracts with Programs, v. 14, p. 304.

Broadhead, R. F., 1997, Subsurface geology and oil and gas potential of Estancia basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin, 157, 54 p.

Brookins, D. G. and Majumdar, A., 1989, Geochronologic study of Precambrian rocks of the Sandia Mountains, New Mexico: Geological Society of America, Special Paper 235, p. 147–154.

Bryan, K., 1938, Geology and ground water conditions of the Rio Grande depression in Colorado and New Mexico: Washington Regional Planning, pt. 6, Rio Grande joint investigation of the upper Rio Grande basin, National Resources Commission, v. 1, pt. 2., sec. 1, p. 197–225.

Bryan, K. and McCann, F. T., 1937, The Ceja del Rio Puerco, a border feature of the Basin and Range province in New Mexico: Journal of Geology, v.45, p. 801–828.

Bryan, K. and McCann, F. T., 1938, The Ceja del Rio Puerco: a border feature of the Basin and Range province in New Mexico: Journal of Geology, v. 46, p. 1–16.

Budnik, R. T., 1986, Left-lateral intraplate deformation along the ancestral Rocky Mountains: Implications for late Paleozoic plate motions: Tectonophysics, v. 132, p. 195–214.

Burgess, P. M., Gurnis, M. and Moresi, L., 1997, Formation of sequences in the cratonic interior of North America by interaction between mantle, eustatic, and stratigraphic processes: Geological Society of America Bulletin, v. 109, p. 1515–1535.

Byerlee, J., 1978, Friction of rocks: Pure and Applied Geophysics, v. 116, p. 615–626.

Cande, S. C. and Kent, D. V., 1995, Revised calibration of the geomagnetic polarity time scale for the Late Cretaceous and Cenozoic: Journal of Geophysical Research, v. 100, p. 6093–6095.

Catacosinos, P. A., 1962, Stratigraphy and paleontology of the Pennsylvanian rocks of the rim of the Sandia Mountains, Sandoval and Bernalillo Counties, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 76 p.

Cather, S. M., 1992, Suggested revisions to the Tertiary tectonic history of north-central New Mexico: New Mexico Geological Society, Guidebook 43, p. 109–122.

Cather, S. M., *in press*, Implications of Jurassic, Cretaceous, and Proterozoic piercing lines for Laramide oblique-slip faulting in New Mexico and rotation of the Colorado Plateau: Geological Society of America Bulletin.

Cather, S. M. and Connell, S. D., 1998, Preliminary geologic map of the San Felipe Pueblo 7.5-minute quadrangle: New Mexico Bureau of Mines and Mineral Resources, Open-file Report OM 19, scale 1:24,000.

Cather, S. M., Connell, S. D., Heynekamp, M. and Goodwin, L., 1997, Geology of the Sky Village SE 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map 9, scale 1:24,000.

Chamberlin, R., Smith, G. A., Pazzaglia, F. J. and Wegmann, K., *in progress*, Geologic map and cross-section of the Loma Creston 7.5-minute quadrangle,

New Mexico: New Mexico Bureau of Mines and Mineral Resources, STATEMAP project, scale 1:24,000.

Chapin, C. E., 1983, An overview of Laramide wrench faulting in the southern Rocky Mountains with emphasis on petroleum exploration; *in* Lowell, J. D., ed., Rocky Mountain foreland basins and uplifts: Denver, Rocky Mountain Association of Geologists, p. 169–179.

Chapin, C. E. and Cather, S. M., 1981, Eocene tectonics and sedimentation in the Colorado Plateau—Rocky Mountain area: Arizona Geological Society Digest, v. 14, p. 173–198.

Chapin, C. E. and Cather, S. M., 1994, Tectonic setting of the axial basins of the northern and central Rio Grande rift; *in* Keller, G. R. and Cather, S. M., eds., Basins of the Rio Grande rift: Structure, stratigraphy, and tectonic setting: Geological Society of America, Special Paper 291, p. 5–25.

Chenoweth, W. L., 1979, Uranium in the Santa Fe area, New Mexico: New Mexico Geological Society, Guidebook 30, p. 261–264.

Compton, R. R., 1966, Analyses of Pliocene–Pleistocene deformation and stresses in northern Santa Lucia Range, California: Geological Society of America Bulletin, v. 77, p. 1361–1380.

Clark, G. R., II, 1978, Byssate scallops in a Late Pennsylvanian lagoon: Geological Society of America, Abstracts with Programs, v. 10, p. 380.

Connell, S. D., 1995, Quaternary geology and geomorphology of the Sandia Mountains piedmont, Bernalillo and Sandoval Counties, central New Mexico [M.S. thesis]: Riverside, University of California at Riverside, 390 p.

Connell, S. D., 1997, Geology of the Alameda 7.5-minute quadrangle, Bernalillo and Sandoval Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map 10, scale 1:24,000.

Connell, S. D., 1998, Geology of the Bernalillo 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map 16, scale 1:24,000.

Connell, S. D. and Hawley, J. W., 1998, Geology of the Albuquerque West 7.5-minute quadrangle, Bernalillo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map 17, scale 1:24,000.

Connell, S. D., Cather, S. M., Karlstrom, K. E., Read, A., Ilg, B., Menne, B., Andronicus, C., Bauer, P. and Anderson, O., 1995, Geology of the Placitas 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Geologic Map OF-DM 2, scale 1:12,000.

Connell, S. D., Allen, B. D. and Hawley, J. W., 1998, Subsurface stratigraphy of the Santa Fe Group from borehole geophysical logs, Albuquerque area, New Mexico: New Mexico Geology, v. 20, p. 2–7.

Connolly, J. R. and Kues, B. S., 1987, Precambrian–upper Paleozoic geology along I-40 east of Albuquerque, New Mexico; *in* Beus, S. S., ed., Centennial Field Guide Volume 2, Rocky Mountain Section of the Geological Society of America, Geological Society of America, Boulder, p. 437–440.

Dane, C. H., Landis, E. R. and Cobban, W. A., 1971, The Twowells Sandstone Tongue of the Dakota Sandstone and the Tres Hermanos Sandstone as used by Herrick (1900), western New Mexico: U.S. Geological Survey, Professional Paper 750-B, p. B17–B22.

Daniel, C. G., Karlstrom, K. E., Williams, M. L. and Pedrick, J. N., 1995, The reconstruction of a middle Proterozoic orogenic belt in north-central New Mexico, U.S.A.: New Mexico Geological Society, Guidebook 46, p. 193–200.

Darton, N. H., 1922, Geologic structure of parts of New Mexico: U.S. Geological Survey, Bulletin 726-E, 275 p.

Darton, N. H., 1928, "Red beds" and associated formations in New Mexico: U.S. Geological Survey, Bulletin 794, 356 p.

Davies, D., 1995, History of water development in the middle valley: Proceedings of the 30th Annual New Mexico Water Conference, p. 9–35.

DeBrine, B. E., 1971, Quantitative hydrologic study of a closed basin with a playa (Estancia Valley, New Mexico) [Ph.D. dissertation]: Socorro: New Mexico Institute of Mining and Technology, 165 p.

Della Valle, R. S., 1981, Geochemical studies in the Grants mineral belt, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 667 p.

Dethier, D. P., 1997, Geology of White Rock quadrangle, Santa Fe and Los Alamos Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 73, scale 1:24,000.

Dickinson, W. R., Klute, M. A., Hayes, M. J., Janecke, S. U., Lundin, E. R., McKittrick, M. A. and Olivares, M. D., 1988, Paleogeographic and paleotectonic setting of Laramide sedimentary basins in the central Rocky Mountain region: Geological Society of America Bulletin, v. 100, p. 1023–1039.

Diehl, J. F., Beck, M. E., Jr., Beske-Diehl, S. , Jacobson, D. and Hearn, B. C., 1983, Paleomagnetism of the Late Cretaceous–Early Tertiary north-central Montana alkalic province: Journal of Geophysical Research, v. 88, p. 10,593–10,609.

Disbrow, A. E. and Stoll, W. C., 1957, Geology of the Cerrillos area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 48, 73 p.

Dubiel, R. F., Parrish, J. T., Parrish, J. M. and Good, S. C., 1991, The Pangaean megamonsoon—evidence from the Upper Triassic Chinle Formation, Colorado Plateau: Palaios, v. 6, p. 347–370.

Duncker, K. E., 1988, Trace-element geochemistry and stable isotope constraints on the petrogenesis of Cerros del Rio lavas, Jemez Mountains, New Mexico [M.S. thesis]: Arlington, University of Texas, 158 p.

Duncker, K. E., Wolff, J. A., Harmon, R. S., Leat, P. T., Dickin, A. P. and Thompson, R. N, 1991, Diverse mantle and crustal components in lavas of the NW Cerros del Rio volcanic field, Rio Grande rift, New Mexico: Contributions to Mineral Petrology, v. 108, p. 331–345.

Eaton, G. P., 1987, Topography and evolution of the southern Rocky Mountains and Alvarado Range; *in* Coward, M. P., Dewey, J. F. and Hancock, P. L., eds., Continental extensional tectonics: Geological Society of London, Special Publication 28, p. 355–369.

Elston, D. P. and Bressler, S. L., 1977, Paleomagnetic poles and polarity zonation from Cambrian and Devonian strata of Arizona: Earth and Planetary Science Letters, v. 36, p. 423–433.

Elston, W. E. 1967, Summary of mineral resources of Bernalillo, Sandoval, and Santa Fe Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 81, 81 p.

Emmanuel, R. J., 1950, The geology and geomorphology of the White Rock Canyon area, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 65 p.

Erskine, D. W. and Smith, G. A., 1993, Compositional characterization of volcanic products from a primarily sedimentary record; the Oligocene Espinaso Formation, north-central New Mexico: Geological Society of America Bulletin, v. 105, p. 1214–1222.

Erslev, E. A., Jurista, B. and Selvig, B. W., 1996, Thrust kinematics of the Laramide front in Colorado: Geological Society of America, Abstracts with Programs, v. 28, no. 7, p. A-112.

Fawcett, P. J., Gibbs, M. T., Ziegler, A. M., Hulver, M. L., and Barron, E. J., *in preparation, Geological Society of America Bulletin,* Global precipitation minus evaporation over the last 280 Ma: A comparison of climate model results with the geologic record.

Ferguson, C. A., Timmons, J. M., Pazzaglia, F. J., Karlstrom, K. E. and Bauer, P. W., 1998, Geologic map of the Sandia Park quadrangle, Bernalillo and Sandoval Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Report DM-1, 12 p., scale 1:24,000.

Flesch, G. A., 1974, Stratigraphy and sedimentology of the Morrison Formation (Jurassic), Ojito Spring Quadrangle, Sandoval County, New Mexico: A preliminary discussion: New Mexico Geological Society, Guidebook 25, p. 185–195.

Formento-Trigilio, M. L., 1997, The Tectonic geomorphology and long-term landscape evolution of the southern Sierra Nacimiento, northern New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 201 p.

Formento-Trigilio, M. L. and Pazzaglia, F. J., 1998, Tectonic geomorphology of Sierra Nacimiento; traditional and new techniques in assessing long-term landscape evolution of the southern Rocky Mountains: Journal of Geology, v. 106, p. 433–453.

Galusha, T., 1966, The Zia Sand Formation, new early to medial Miocene beds in New Mexico: Novitates, The American Museum of Natural History, no. 2271, 12 p.

Galusha, T. and Blick, J. C., 1971, Stratigraphy of the Santa Fe Group, New Mexico: Bulletin of the American Museum of Natural History, v. 144, 127 p.

Gawne, C. E., 1981, Sedimentology and stratigraphy of the Miocene Zia Sand of New Mexico: Summary: Geological Society of America Bulletin, v. 92, p. 999–1007.

Geissman, J. W., 1991, Paleomagnetism of the Late Cambrian–Early Ordovician Ignacio Formation, San Juan Mountains, southwest Colorado: EOS, Transactions of the American Geophysical Union, v. 72, p. 136.

Geissman, J. W., Brown, L., Turrin, B. D., McFadden, L. D. and Harlan, S. S., 1990, Brunhes chron excursion/polarity recorded during the late Pleistocene, Albuquerque Volcanoes, New Mexico, USA: Geophysics Journal International, v. 102, p. 73–88.

Gillette, D. D., 1991, *Seismosaurus halle*, gen. et sp. nov., a new sauropod dinosaur form the Morrison Formation (Upper Jurassic/Lower Cretaceous) of New Mexico, USA: Journal of Vertebrate Paleontology, v. 11, p. 417–433.

Gillette, D. D., Bechtel, J. W. and Bechtel, P., 1990, Gastroliths of a sauropod dinosaur from New Mexico: Journal of Vertebrate Paleontology, Abstracts of Papers, 50th annual meeting, v. 10, no. 3, p. 24A

Goff, F., Kues, B. S., Rogers, M. A., McFadden, L. D. and Gardner, J. N., 1996, The Jemez Mountains Region: New Mexico Geological Society, Guidebook 47, 484 p.

Golonka, J., Ross, M. I. and Scotese, C. R., 1994, Phanerozoic paleogeographic

and paleoclimatic modeling maps: Canadian Society of Petroleum Geologists, Memoir 17, p. 1–47.

Gorham, T. W., 1979, Geology of the Galisteo Formation, Hagan basin, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 136 p.

Gorham, T. W. and Ingersoll, R. V., 1979, Evolution of the Eocene Galisteo Basin, north-central New Mexico: New Mexico Geological Society, Guidebook 30, p. 219–224.

Gradstein, F. and Ogg, J., 1996, A Phanerozoic time scale: Episodes, v. 19, p. 3–5.

Gregory, K. M. and Chase, C. G., 1992, Tectonic significance of paleobotanically estimated climate and altitude of the late Eocene erosion surface, Colorado: Geology, v. 20, p. 581–585.

Griggs, R. L., 1964, Geology and ground-water resources of the Los Alamos area, New Mexico: U.S. Geological Survey, Water-supply Paper 1753, 107 p.

Hallett, R. B., Kyle, P. R. and McIntosh, W. C., 1997, Paleomagnetic and $^{40}Ar/^{39}Ar$ age constraints on the chronologic evolution of the Rio Puerco volcanic necks and Mesa Prieta, west-central New Mexico: Implications for transition zone magmatism: Geological Society of America Bulletin, v. 109, p. 95–106.

Harlan, S. S. and Geissman, J. W., 1989, Late Paleozoic remagnetization of Proterozoic crystalline rocks, Colorado Front Range: EOS, Transactions of the American Geophysical Union, v. 70, p. 311.

Harrison, E. P., 1949, Geology of the Hagan coal basin [M.S. thesis]: Albuquerque, University of New Mexico, 177 p.

Hawley, J. W. and Galusha, T., 1978, Bernalillo to south of San Ysidro: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 177–183

Hawley, J. W. and Haase, C. S., 1992, Hydrogeologic framework of the northern Albuquerque Basin: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 387, 165 p.

Hawley, J. W., Lambert, P. W., Kelley, V. C. and Woodward, L. A., 1982, Thirdday road log: New Mexico Geological Society, Guidebook 33, p. 75–96.

Heiken, G., Wohletz, K., Fisher, R. V. and Dethier, D. P., 1996, Field guide to the maar volcanoes of White Rock Canyon; *in* Self, S., Heiken, G., Sykes, M. L., Wohletz, K., Fisher, R. V. and Dethier, D. P., eds., Field excursions to the Jemez Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 134, p. 56–72.

Hibben, F. C., 1940, Sandia man: Artifacts found in basal layers of a cave in New Mexico: Scientific American, v. 163, no. 1, p. 14–15.

Hibben, F. C., 1941, Evidences of early occupation in Sandia Cave, N. Mex., and other sites in Sandia–Manzano region, with an appendix on correlation of the deposits of Sandia Cave, N. Mex., with the glacial geology: Smithsonian Miscellaneous Collections, v. 99, no. 23, 64 p.

Hibben, F. C., 1946, The lost Americans: Thomas Y. Crowell Co., New York, 196 p.

Horton, R. A., Geissman, J. W. and Tschauder, R. T., 1984, Paleomagnetism and rock magnetism of the Mississippian Leadville (carbonate) Formation and implications for the age of sub-regional dolomitization: Geophysical Research Letters, v. 11, p. 649–652.

Irving, E. and Parry, L. G., 1963, The magnetism of some Permian rocks from New South Wales: Geophysical Journal of the Royal Astronomical Society, v. 7, p. 395–411.

Johnson, D. W., 1902–03, The geology of the Cerrillos Hills, New Mexico: Columbia University, School of Mines Quarterly, Pt. 2, Paleontology, 1902, v. 24, p. 173–246; Pt. 1, General geology, 1903, p. 303–350, 456–500; Pt. 3. Petrography, 1903, v. 25, p. 69–98.

Johnson, J. G., 1974, Shorelines of epeiric seas: American Journal of Science, v. 274, p. 465–470.

Karlstrom, K. E. and Bowering, S. A., 1993, Proterozoic orogenic history of Arizona; *in* Reed, J. C. Jr., Bickford, M. E., Houstan, R. S., Link, P. K., Rankin, D. W., Sims, D. W. and Van Schmus, W. R., eds., Precambrian: Conterminous U.S.: The Geology of North America, Geological Society of America, v. C-2, p. 188–211.

Karlstrom, K. E. and Daniel, C. G., 1993, Restoration of Laramide right-lateral strike slip in northern New Mexico by using Proterozoic piercing points: Tectonic implications from the Proterozoic to the Cenozoic: Geology, v. 21, p. 1193–1142.

Karlstrom, K. E. and Humphreys, G., 1998, Persistent influence of Proterozoic accretionary boundaries in the tectonic evolution of southwestern North America: Interaction of cratonic grain and mantle modification events: Rocky Mountain Geology, v. 33, p. 161–179.

Kelley, S. A., Chapin, C. E. and Corrigan, J., 1992, Late Mesozoic to Cenozoic cooling histories of the flanks of the northern and central Rio Grande rift, Colorado and New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 145, 40 p.

Kelley, V. C., 1963, Geologic map of the Sandia Mountains and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 18, scale 1:48,000.

Kelley, V. C., 1969, Albuquerque: New Mexico Bureau of Mines and Mineral Resources, Scenic trips to the geologic past, no. 9, 101 p.

Kelley, V. C., 1977, Geology of the Albuquerque basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 33, 60 p.

Kelley, V. C., 1982, The right-relayed Rio Grande rift, Taos to Hatch, New Mexico: New Mexico Geological Society, Guidebook 33, p. 147–151.

Kelley, V. C. and Kudo, A. M., 1978, Volcanoes and related basalts of Albuquerque basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 156, 30 p.

Kelley, V. C. and Northrop, S. A., 1975, Geology of Sandia Mountains and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 29, 136 p.

Kelley, V. C. and Wood, G. H., Jr., 1946, Lucero uplift, Valencia, Socorro, and Bernalillo Counties, New Mexico: U.S. Geological Survey, Oil and Gas Investigations, Preliminary Map 47, scale 1:63,360.

Kirby, E., Karlstrom, K. E., Andronicos, C. L. and Dallmeyer, R. D., 1995, Tectonic setting of the Sandia pluton: An orogenic 1.4 Ga granite in New Mexico: Tectonics, v. 14, p. 185–201.

Kirkland, D. W., Denison, R. E. and Evans, R., 1995, Middle Jurassic Todilto Formation of northern New Mexico and southwestern Colorado: Marine or nonmarine?: New Mexico Bureau of Mines and Mineral Resources, Bulletin 147, 39 p.

Kirschvink, J. L., 1980, The least squares line and plane and the analysis of paleomagnetic data: Geophysical Journal of the Royal Astronomical Society, v. 62, p. 699–718.

Kluth, C. F., 1986, Plate tectonics of the ancestral Rocky Mountains; *in* Peterson, J. A., ed., Paleotectonics and sedimentation: American Association of Petroleum Geologists, Memoir 41, p. 353–369.

Kluth, C. F. and Coney, P. J., 1981, Plate tectonics of the ancestral Rocky Mountains: Geology, v. 9, p. 10–15.

Kluth, C. F., Ye, H., Royden, L., Burchfiel, C. and Schuepbach, M., 1998, Late Paleozoic deformation of interior North America, the greater ancestral Rocky Mountains, discussion and reply: American Association of Petroleum Geologists Bulletin, v. 82, p. 2272–2279.

Knight, P. J., Lucas, S. G. and Cully, A., 1996, Early Pleistocene (Irvingtonian) plants from the Albuquerque area, New Mexico: The Southwestern Naturalist, v. 41, no. 3, p. 207–217.

Kocurek, G. and Dott, R. H., 1983, Jurassic paleogeography and paleoclimate of the central and southern Rocky Mountain region: Society of Economic Paleontologist and Mineralogists, Rocky Mountain Paleogeography Symposium, v. 2, p. 101–116.

Koning, D., Pederson, J. L., Connell, S. and Pazzaglia, F. J., 1999, Geologic map and report of the Sky Village NE quadrangle, NM: U.S. Geological Survey, EDMAP map, scale 1:24,000.

Kottlowski, F. E. and Stewart, W. J., 1970, The Wolfcampian Joyita uplift in central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 23, part 1, 31 p.

Kues, B. S., 1982, Pennsylvanian trilobites from the Madera Formation, Cedro Canyon, New Mexico: New Mexico Geological Society, Guidebook 33, p. 239–243.

Kues, B. S., 1983, Cephalopod aptychi from Los Moyos Limestone, Madera Group (Middle Pennsylvanian), near Albuquerque, New Mexico: New Mexico Geology, v. 7, p. 78–80.

Kues, B. S., 1992a, A Late Pennsylvanian restricted-marine fauna from the Kinney quarry, Manzanita Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 138, p. 87–97.

Kues, B. S., 1992b, The bivalve *Dunbarella* in marine and nonmarine facies of the Upper Pennsylvanian sequence at the Kinney quarry, Manzanita Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 138, p. 99–111.

Kues, B. S. and Koubek, J., 1991, A marine invertebrate assemblage from the Middle Pennsylvanian Los Moyos Limestone (Madera Group), Manzanita Mountains, New Mexico: New Mexico Journal of Science, v. 31, p. 49–63.

Kues, B. S. and Lucas, S. G., 1992, Overview of Upper Pennsylvanian stratigraphy and paleontology, Kinney Quarry, Manzanita Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 138, p. 1–11.

Kues, B. S., Lucas, S. G., Rowland, J. M., Estep, J. W., Harris, S. and Wilde, G. L., 1997, Marine invertebrate faunas and age of the uppermost Madera Formation at Placitas, southeastern Sandoval County, New Mexico: New Mexico Geology, v. 19, p. 56.

Lagasse, P. F., 1981, Geomorphic response of the Rio Grande to dam construction; *in* Wells, S. G. and Lambert, W., eds., Environmental geology and hydrology in the New Mexico: New Mexico Geological Society, Special

Publication 10, p. 27–46.
Lambert, P. W., 1968, Quaternary stratigraphy of the Albuquerque area, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 329 p.
Landis, E. R., Dane, C. H. and Cobban, W. A., 1973, Stratigraphic terminology of the Dakota Sandstone and Mancos Shale, west-central New Mexico: U.S. Geological Survey, Bulletin 1372-J, 44 p.
Large, E. and Ingersoll, R. V., 1997, Miocene and Pliocene sandstone petrofacies of the northern Albuquerque basin, New Mexico, and implications for evolution of the Rio Grande rift: Journal of Sedimentary Research, Section A: Sedimentary Petrology and Processes, v. 67, p. 462–468.
Lee, M .J. and Brookins, D. G., 1980, Rubidium-strontium minimum ages of sedimentation, uranium mineralization, and provenance, Morrison Formation (Upper Jurassic), Grants mineral belt, New Mexico: American Association Petroleum Geologists Bulletin, v. 64, p. 1719.
Lee, W. T., 1912, The Tijeras coal field, Bernalillo County, New Mexico: U.S. Geological Survey, Bulletin 471-H, p. 575–578.
Lee, W. T. and Knowlton, F. H., 1917, Geology and paleontology of the Raton Mesa and other regions: Colorado and New Mexico: U.S. Geological Survey, Professional Paper 101, 450 p.
Lisenbee, A. L., Woodward, L. A. and Connolly, J. R., 1979, Tijeras-Cañoncito fault system—a major zone of recurrent movement in north-central New Mexico: New Mexico Geological Society, Guidebook 30, p. 89–99.
Lodewick, R. B., 1960, Geology and petrology of the Tijeras gneiss, Bernalillo County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 63 p.
Lorenz, J. C., Smith, G. A. and Lucas, S. G., 1992, Sedimentation patterns in Pennsylvanian strata at the Kinney Brick Company Quarry, Bernalillo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 138, p. 13–19.
Lozinsky, R. P., 1994, Cenozoic stratigraphy, sandstone petrology, and depositional history of the Albuquerque basin, central New Mexico; *in* Keller, G. R. and Cather, S. M., eds., Basins of the Rio Grande rift: Structure, stratigraphy, and tectonic setting: Geological Society of America, Special Paper 291, p. 73–81.
Love, J. D., 1970, Cenozoic geology of the Granite Mountains area: U.S. Geological Survey, Professional Paper 495-C, 159 p.
Lucas, S. G., 1982, Vertebrate paleontology, stratigraphy and biostratigraphy of Eocene Galisteo Formation, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 186, 34 p.
Lucas, S. G., 1983, The Baca Formation and the Eocene–Oligocene boundary in New Mexico: New Mexico Geological Society, Guidebook 34, p. 187–192.
Lucas, S. G., 1987, American mastodont from the Sandia Mountains, New Mexico: New Mexico Journal of Science, v. 27, p. 29–32.
Lucas, S. G., 1992, Redefinition of the Duchesnean land mammal "age," late Eocene of western North America; *in* Prothero, D. R. and Berggren, W. A., eds., Eocene–Oligocene climatic and biotic evolution: Princeton University Press, p. 88–105.
Lucas, S. G. and Anderson, O. J., 1996, The Middle Jurassic Todilto salina basin, American Southwest: Museum of Northern Arizona, Bulletin 60, p. 479–482.
Lucas, S. G. and Anderson, O. J., 1997, The Jurassic San Rafael Group, Four Corners region: New Mexico Geological Society, Guidebook 48, p. 115–132.
Lucas, S. G. and Heckert, A. B., 1995, Triassic stratigraphy around the Sandia uplift, central New Mexico: New Mexico Geological Society, Guidebook 46, p. 233–241.
Lucas, S. G. and Ingersoll, R. V., 1981, Cenozoic continental deposits of New Mexico: An overview: Geological Society of America Bulletin, Part I, v. 92, p. 917–932.
Lucas, S. G. and Kues, B. S., 1979, Vertebrate biostratigraphy of the Eocene Galisteo Formation, north-central New Mexico: New Mexico Geological Society, Guidebook 30, p. 225–229.
Lucas, S. G. and Morgan, G. S., 1997, The American mastodont (*Mammut americanum*) in New Mexico: The Southwestern Naturalist, v. 42, p. 312–317.
Lucas, S. G. and Schoch, R. M., 1992, Taxonomy of *Duchesneodus* (Brontotheriidae) from the late Eocene of North America; *in* Prothero, D. R. and Schoch, R. M., eds., The evolution of perissodactyls: Oxford University Press, New York, p. 490–503.
Lucas, S. G., Williamson, T. E. and Sobus, J. C., 1988, Late Pleistocene (Rancholabrean) mammals from the Edith Formation, Albuquerque, New Mexico: New Mexico Journal of Science, v. 28, p. 51–58.
Lucas, S. G., Williamson, T. E. and Sobus, J. C., 1993, Plio–Pleistocene stratigraphy, paleoecology, and mammalian biochronology, Tijeras Arroyo, Albuquerque area, New Mexico: New Mexico Geology, v. 15, p. 1–8.
Lucas, S. G., Anderson, O. J. and Pigman, C., 1995, Jurassic stratigraphy in the Hagan basin, north-central New Mexico: New Mexico Geological Society, Guidebook 46, p. 247–255.
Lucas, S. G., Cather, S. M., Abbott, J. C. and Williamson, T. E., 1997, Stratigraphy and tectonic implications of Paleogene strata in the Laramide Galisteo basin, north-central New Mexico: New Mexico Geology, v. 19, p. 89–95.
Lucas, S. G., Estep, J. W., Rowland, J. M. and Kues, B. S., 1997, Uppermost Pennsylvanian–Permian stratigraphy at Placitas, Sandoval County, New Mexico (abs): New Mexico Geology, v. 19, p. 55.
Lyons, T. R., 1969, A study of the paleo-Indian and desert culture cornplexes of the Estancia Valley area, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 355 p.
Machette, M. N., 1978, Bernalillo County dump fault; *in* Hawley, J. W., ed., Guidebook to the Rio Grande Rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 153–156.
Machette, M. N., Personius, S. F., Kelson, K. I., Haller, K. M. and Dart, R. L., 1998, Map and data for Quaternary faults and folds in New Mexico: U.S. Geological Survey, Open-file Report 98-521, 443 p., scale 1:500,000.
Mack, G., McIntosh, W. C., Leederm M. R. and Monger, H. C., 1996, Plio–Pleistocene pumice floods in the ancestral Rio Grande, southern Rio Grande rift, USA: Sedimentary Geology, v. 103, p. 1–8.
Manley, K. M., 1978, Geologic map of the Bernalillo NW quadrangle, Sandoval County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1446, scale 1:24,000.
Manley, K. M., 1991, Gastrolith identification and sauropod dinosaur migration: Geological Society of America, Abstracts with Programs, v. 23, no. 4, p. 45.
Manley, K. M., 1993, Surface polish measurements from bona fide and suspected sauropod dinosaur gastroliths, wave and stream transported clasts: Ichnos, v. 2, p. 167–169.
Marcou, J., 1858, Geology of North America, with two reports on the prairies of Arkansas and Texas, the Rocky Mountains of New Mexico, and the Sierra Nevada of California, originally made for the United States Government: Zurcher and Furrer, Zurich, 144 p.
May, S. J., Kelley, S. A. and Russell, L. R., 1994, Footwall unloading and rift shoulder uplifts in the Albuquerque basin: Their relation to syn-rift fanglomerates and apatite fission-track ages; *in* Keller, G. R. and Cather, S. M., eds., Basins of the Rio Grande rift: Structure, stratigraphy, and tectonic setting: Geological Society of America, Special Paper 291, p. 125–134.
Maynard, S. R., 1989, Geology and ore deposits of the Ortiz Mine Grant; *in* Lorenz, J. C. and Lucas, S. G., eds., Energy frontiers in the Rockies: Albuquerque Geological Society, Albuquerque, New Mexico, p. 8–9.
McKee, E. D., Oriel, S. S., Swanson, V. E., MacLachlan, M. E., MacLachlan, J. C., Ketner, K. B., Goldsmith, J. W., Bell, R. Y., Jameson, D. J. and Imlay, R. W., 1956, Paleotectonic maps of the Jurassic System: U.S. Geological Survey, Miscellaneous Investigations Map I-175, scale 1:5,000,000.
McLemore, V. T., 1983, Uranium and thorium occurrences in New Mexico: Distribution, geology, production, and resources; with selected bibliography: New Mexico Bureau of Mines and Mineral Resources, Open-file Report OF-182, 950 p.
Menne, B., 1989, Structure and stratigraphy of the northwestern part of the Sandia Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 163 p.
Molzer, P. C. and Erslev, E. A., 1995, Oblique convergence during northeast-southwest Laramide compression along the east-west Owl Creek and Casper Mountain arches, central Wyoming: American Association of Petroleum Geologists Bulletin, v. 79, p. 1377–1394.
Molenaar, C. M., 1983, Major depositional cycles and correlations of Upper Cretaceous rocks, southern Colorado and adjacent areas; *in* Reynolds, M. W. and Dolly, E. D., eds., Mesozoic paleogeography of the west-central U.S.: Rocky Mountain Section of the Society of Economic Paleontologists and Mineralogists, p. 201–224.
Moore, J. C., 1979, Uranium deposits in the Galisteo Formation of the Hagan basin, Sandoval County, New Mexico: New Mexico Geological Society, Guidebook 30, p. 265–267.
Myers, D. A., 1973, The late Paleozoic Madera Group in the Manzano Mountains, New Mexico: U.S. Geological Survey, Bulletin 1372-F, p. F1–F13.
Myers, D. A., 1982, Stratigraphic summary of Pennsylvanian and Lower Permian rocks, Manzano Mountains, New Mexico: New Mexico Geological Society, Guidebook 33, p. 233–237.
Myers, D. A., 1988, Stratigraphic distribution of some fusulinids from the Wild Cow and Bursum formations, Manzano Mountains, New Mexico: U.S. Geological Survey, Professional Paper 454-K, 35 p.
Myers, D. A. and McKay, E. J., 1976, Geologic map of the north end of the Manzano Mountains, Tijeras and Sedillo quadrangles, Bernalillo County, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-968, scale 1:24,000.

NOM, annual series, Climatological data annual summary, New Mexico: National Climatic Data Center, Asheville, North Carolina.

Northrop, S. A., 1961, New Mexico's fossil record (abs.): New Mexico Geological Society, Guidebook 12, p. 198.

Nyman, M., Karlstrom, K. E., Kirby, E. K. and Graubard, C., 1994, Mesoproterozoic contractional orogeny in western North America: Evidence from ca. 1.4 Ga plutons: Geology, v. 22, p. 901–904.

Ogilvie, I. H., 1905, The high-altitude conoplain: A topographic form illustrated in the Ortiz Mountains: American Geologist, v. 36, p. 27–34.

Passchier, C. W. and Trouw, R. A. J., 1996, Microtectonics: SpringerVerlag, Berlin-Heidelberg, 289 p.

Paylor, E. D., II and Yin, A., 1993, Left-slip evolution of the North Owl Creek fault system, Wyoming, during Laramide shortening: Geological Society of America, Special Paper 280, p. 229–242.

Pazzaglia, F. J. and Kelley, S. A., 1998, Large-scale geomorphology and fission-track thermochronology in topographic and exhumation reconstructions of the Southern Rocky Mountains: Rocky Mountain Geology, v. 33, p. 229–257.

Pazzaglia, F. J., Pederson, J. L., Garcia, A., Koning, D. and Toya, C., 1998, Geology of the Jemez Pueblo 7.5-minute quadrangle, NM: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map 14, scale 1:24,000.

Pearce, T. M., ed., 1965, New Mexico place names: University of New Mexico Press, Albuquerque, New Mexico, 187 p.

Peate, D. W., Chen, J. H., Wasserburg, G. J. and Papanastassiou, D. A., 1996, ^{238}U-^{230}Th dating of a geomagnetic excursion in Quaternary basalts of the Albuquerque volcanoes field, New Mexico (USA): Geophysical Research Letters, v. 23, no. 17, p. 2271–2274.

Perkins, M. E., Brown, F. H., Nash, W. P., McIntosh, W. and Williams, S. K., 1998, Sequence, age, and source of silicic fallout tuffs in middle to late Miocene basins of the northern Basin and Range Province: Geological Society of America Bulletin, v. 110, p. 344-360.

Personius, S. F., 1997, Recurrent paleoearthquakes on the Paloma del Sol fault zone: a recently rediscovered active fault zone in the Albuquerque metropolitan area: Geological Society of America, Abstracts with Program, v. 28, no. 7, p. A378.

Personius, S. F., Machette, M. N. and Stone, B. D., *in preparation*, Preliminary geologic map of the Loma Machete quadrangle, Sandoval County, New Mexico: U.S. Geological Survey, Open-file Report, scale 1:24,000.

Peterson, F., 1988, Stratigraphy and nomenclature of Middle Jurassic rocks, western Colorado Plateau, Utah and Arizona: U.S. Geological Survey, Bulletin 1633-B, p. 17–56.

Petit, J. P., 1987, Criteria for the sense of movement on fault surfaces in brittle rocks: Journal of Structural Geology, v. 9, p. 597–608.

Phillips, C. H., 1964, Geology of the La Madera area, Sandia Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 75 p.

Picha, M. G., 1982, Structure and stratigraphy of the Montezuma salient, Hagan basin area, Sandoval County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 248 p.

Pigman, C. and Lucas, S. G., 1989, The Jurassic section in the Hagan basin, Sandoval County, New Mexico; *in* Lorenz, J. C. and Lucas, S. G., eds., Energy frontiers in the Rockies: Albuquerque Geological Society, Albuquerque, New Mexico, p. 3–5.

Pipiringos, G. N. and O'Sullivan, R. B., 1978, Principal unconformities in Triassic and Jurassic rocks, Western Interior, U.S.: A preliminary survey: U.S. Geological Survey, Professional Paper 1035-A, 29 p.

Pray, L. C., 1961, Geology of the Sacramento Mountains escarpment: New Mexico Bureau of Mines and Mineral Resources, Bulletin 35, 144 p.

Preston, D., 1995, The mystery of Sandia Cave: The New Yorker, 12 June 1995, p. 66–83.

Prothero, D. R. and Emry, R. J., 1996, Summary; *in* Prothero, D. R. and Emry, R. J., eds., The terrestrial Eocene–Oligocene transition in North America: Cambridge University Press, New York, p. 664–683.

Prothero, D. R. and Lucas, S. G., 1996, Magnetic stratigraphy of the Duchesnean part of the Galisteo Formation, New Mexico; *in* Prothero, D. R. and Emry, R. J., eds., The terrestrial Eocene–Oligocene transition in North America: Cambridge University Press, New York, p. 199–205.

Read, A., Karlstrom, K., Connell, S., Kirby, E., Ferguson, C., Ilg, B., Pazzaglia, F., Osburn, G. and Van Hart, D., 1999, Geology of the Sandia Crest 7.5-minute quadrangle, Bernalillo and Sandoval Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Geologic Map OFDM 6, scale 1:12,000.

Read, C. B., 1947, Pennsylvanian floral zones and floral provinces: Journal of Geology, v. 55, p. 271–279.

Read, C. B. and Mamay, S. H., 1964, Upper Paleozoic floral zones and floral provinces of the United States: U.S. Geological Survey, Professional Paper 454-K, 35 p.

Read, C. B., Andrews, D. A. and Wilpot, R. H., 1944, Geologic map and stratigraphic sections of Permian and Pennsylvanian rocks of parts of San Miguel, Santa Fe, Sandoval, Bernalillo, Torrance, and Valencia Counties, north-central New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map 21, scale 1:190,080.

Read, C. B., Duffner, R. T., Wood, G. H. and Zapp, A. D., 1950, Coal resources of New Mexico: U.S. Geological Survey, Circular 89, 24 p.

Rigby, J. K., Jr., 1982, *Camarasaurus* cf. *supremus* from the Morrison Formation near San Ysidro, New Mexico—the San Ysidro dinosaur: New Mexico Geological Society, Guidebook 33, p. 271–272.

Rogers, J. B., 1996, The fluvial landscape of San Diego Canyon, Jemez Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 123 p.

Romano, E., 1997, Late Paleozoic remagnetization of the Cambro–Ordovician Bliss Formation in the Fra Cristobal Range and Caballo Mountains, Sierra County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 172 p.

Rowe, H. D., Geissman, J. W., Allen, B. D. and Anderson, R. Y., 1994, Magnetic characteristics and relative paleointensity from sediments of late Pleistocene Lake Estancia, New Mexico: EOS, Transactions of the American Geophysical Union, v. 75, p. 186.

Russell, L. R. and Snelson, S., 1994, Structure and tectonic of the Albuquerque basin segment of the Rio Grande rift: Insights from reflection seismic data; *in* Keller, G. R. and Cather, S. M., eds., Basins of the Rio Grande rift: structure, stratigraphy, and tectonic setting: Geological Society of America, Special Paper 291, p. 83–112.

Russell, L. S., 1980, A new species of *Brachyhyops*? (Mammalia, Artiodactyla) from the Oligocene Cypress Hills Formation of Saskatchewan: Royal Ontario Museum Life Sciences, Occasional Paper no. 33, 5 p.

Schwartz, H. L. and Manley, K., 1992, Geology and stratigraphy of the *Seismosaurus* locality, Sandoval County, New Mexico: New Mexico Geology, v. 14, p. 25–30.

Smartt, R. A., Lucas, S. G., and Hafner, D. J., 1991, The giant Bison (*Bison latifrons*) from the middle Rio Grande Valley of New Mexico: The Southwestern Naturalist, v. 36., no. 1, p. 136–137.

Smith, G. A., 1989, Eustatic cycles in cyclic deltaic to shallow marine clastics and carbonates, Pennsylvanian Madera Fm., Sandia Mountains, New Mexico (abs.): Geological Society of America, Abstracts with Programs, v. 21, p. 145.

Smith, G. A. and Kuhle, A. J, 1998, Hydrostratigraphic implications of new geological mapping in the Santo Domingo basin, New Mexico: New Mexico Geology, v. 20, p. 21–27.

Smith, G. A. and Kuhle, A. J., 1999, Geologic map of the Santo Domingo Southwest quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Digital Map OFDM 26, 1 sheet and text, scale 1:24,000.

Smith, G. A. and Levine, A., 1996, What is the Cochiti Formation?: New Mexico Geological Society, Guidebook 47, p. 219–224.

Smith, L. N., Bullard, T. F. and Wells, S. G., 1982, Quaternary geology and geomorphology of Tijeras Canyon, New Mexico: New Mexico Geological Society, Guidebook 33, p. 5–7.

Smith, L. N., Lucas, S. G. and Elston, W. E., 1985, Paleogene stratigraphy, sedimentation and volcanism of New Mexico; *in* Flores, R. M. and Kaplan, S. S., eds., Cenozoic paleogeography of west-central United States: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Denver, p. 293–315.

Smith, G. A., Larsen, D., Harlan, S. S., McIntosh, W. C., Erskine, D. W. and Taylor, S., 1991, A tale of two volcaniclastic aprons: Field guide to the sedimentology and physical volcanology of the Oligocene Espinaso Formation and Miocene Peralta Tuff, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 87–103.

Sonder, L. J., England, P. C., Wernicke, B. P. and Christiansen, R. L., 1987, A physical model for Cenozoic extension of western North America; *in* Coward, M. P., Dewey, J. F. and Hancock, P. L., eds., Continental Extensional Tectonics: Geological Society, Special Publication 28, p. 187–201.

Spiegel, Z., 1961, Late Cenozoic sediments of the lower Jemez region: New Mexico Geological Society, Guidebook 12, p. 132–138.

Spiegel, Z. and Baldwin, B., 1963, Geology and water resources of the Santa Fe area, New Mexico: U.S. Geological Survey, Water-supply Paper 1525, 258 p.

Stearns, C. E., 1943, The Galisteo Formation of north-central New Mexico: Journal of Geology, v. 51, p. 301–319.

Stearns, C. E., 1953a, Tertiary geology of the Galisteo-Tonque area, New Mexico: Geological Society of America Bulletin, v. 64, p. 459–508.

Stearns, C. E., 1953b, Early Tertiary volcanism in the Galisteo–Tonque area, north-central New Mexico: American Journal of Science, v. 251, p. 415–452.

Steiger, R. H. and Wasserburg, G. J., 1966, Systematics in the Pb^{208}-Th^{232}, Pb^{207}-U^{235}, and Pb^{206}-U^{238} systems: Journal of Geophysical Research, v. 71, p. 6065–6069.

Stone, D. S., 1995, Structure and kinematic genesis of the Calla wrench duplex: Transpressional reactivation of the Precambrian Cheyenne belt in the Laramie basin, Wyoming: American Association of Petroleum Geologists Bulletin, v. 79, p. 1349–1376.

Stuckey, A. H., Jr., 1967, Stratigraphic relations of the Pennsylvanian–Permian strata, Manzanita Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 64 p.

Sutherland, P.K., 1963, Paleozoic rocks: New Mexico Bureau of Mines and Mineral Resources, Memoir 11, p. 22–46.

Sutherland, P. K. and Harlow, F. H., 1973, Pennsylvanian brachiopods and biostratigraphy in southern Sangre de Cristo Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 27, 173 p.

Sun, M.S. and Baldwin, B., 1958, Volcanic rocks of the Cienega area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 54, 80 p.

Szabo, E., 1953, Stratigraphy and paleontology of the Carboniferous rocks of the Cedro Canyon area, Manzanita Mountains, Bernalillo County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 137 p.

Tedford, R. H., 1981, Mammalian biochronology of the late Cenozoic basins of New Mexico: Geological Society of America Bulletin, v. 92, p. 1008–1022.

Tedford, R. H., 1982, Neogene stratigraphy of the northwestern Albuquerque Basin: New Mexico Geological Society, Guidebook 33, p. 273–278.

Tedford, R. H. and Barghoorn, S., 1997, Miocene mammals of the Española and Albuquerque basins, north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 11, p. 77–96.

Timmons, J. M., Karlstrom, K. E. and Kirby, E., 1995, Geology of the Monte Largo Hills area, New Mexico: Structural and metamorphic study of the eastern aureole of the Sandia pluton: New Mexico Geological Society, Guidebook 46, p. 580–590.

Titus, F. B., Jr., 1963, Geology and ground-water conditions in eastern Valencia County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-water Report 7, 113 p.

Titus, F.B., 1969, Late Tertiary and Quatemary hydrogeology of Estancia basin, central New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 179 p.

Toomey, D. F., 1953, Paleontology and stratigraphy of the Carboniferous rocks of the Placitas region, northern Sandia Mountains, Sandoval County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 192 p.

Tuan, Y., Everard, C. E., Widdison, J. G. and Bennett, I., 1973, The climate of New Mexico: New Mexico State Planning Office, Santa Fe, 197 p.

Ulmer, D. S. and Laury, R. L., 1984, Diagenisis of the Mississippian Arroyo Peñasco Group, north-central New Mexico: New Mexico Geological Society, Guidebook 35, p. 91–100.

U.S. AEC (Atomic Energy Commission), 1966, USAEC airborne radiometric reconnaissance in Arizona, California, Nevada, and New Mexico, 1953 to 1956: U.S. Atomic Energy Commission, Report RME-147, 73 p.

Van der Voo, R., 1993, Paleomagnetism of the Atlantic, Tethys, and Iapetus Oceans: Cambridge University Press, Cambridge, 411 p.

Weber, R. H. and Kottlowski, F. E., 1959, Gypsum resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 68, 68 p.

Wiberg, T. L. and Smith, G. A., 1993, Pennsylvanian glacioeustasy recorded in a carbonate ramp succession, ancestral Rocky Mountains, New Mexico; *in* Beauchamp, A. F. and Embry, D. G., eds., Pangea: Global environments and resources: Canadian Society of Petroleum Geologists, Memoir 17, p. 545–556.

Wilson, J. A., 1971, Early Tertiary vertebrate faunas, Vieja Group, Trans-Pecos Texas: Entelodontidae: The Pearce-Sellards Series, no. 17, 17 p.

Windley, B. F., 1993, Proterozoic anorogenic magmatism and its orogenic connections: Journal of the Geological Society of London, v. 150, p. 39–50.

Woldegabriel, G. and Hagan, R., 1990, Temporal and spatial relationships of diagenetic processes in the Upper Jurassic Morrison Formation, Colorado and New Mexico, and its implication to dinosaur fossil preservation: Isochron/West, no. 55, p. 18–23.

Wolfe, J. A., Forest, C. E. and Molnar, P., 1998, Paleobotanical evidence of Eocene and Oligocene paleoaltitudes in midlatitude western North America: Geological Society of America Bulletin, v. 110, p. 664–678.

Wood, G. H., Kehn, T. M. Carter, M. D. and Culbertson, W. C., 1983, Coal resource classification system of the U.S. Geological Survey: U.S. Geological Survey, Circular 891, 65 p.

Woodward, L. A., 1977, Rate of crustal extension across the Rio Grande rift near Albuquerque, NM: Geology, v. 5, p. 269–272.

Woodward, L. A., 1984, Tectonic map of the Rocky Mountain region of the United States; *in* Sedimentary cover of the craton, U.S.: Geological Society of America, Geology of North America, v. D-2, scale 1:2,500,000.

Woodward, L. A., 1987, Geology and mineral resources of Sierra Nacimiento and vicinity, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 42, 84 p.

Woodward, L. A. and Menne, B., 1995, Down-plunge structural interpretation of the Placitas area, northwestern part of Sandia uplift, central New Mexico—implications for tectonic evolution of the Rio Grande rift: New Mexico Geological Society, Guidebook 47, p. 127–133.

Woodward, L. A. and Ruetschilling, R. L., 1976, Geology of San Ysidro quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 37, scale 1:24,000.

Woodward, L. A., Anderson, O. J. and Lucas, S. G., 1997, Mesozoic stratigraphic constraints on Laramide right slip on the east side of the Colorado Plateau: Geology, v. 25, p. 843–846.

Wright, H. E., Jr., 1946, Tertiary and Quaternary geology of the lower Puerco area, New Mexico: Geological Society of America Bulletin, v. 57, p. 383–456.

Wright, R., 1986, Cyclic stratigraphy as a paleogeography tool: Point Lookout Sandstone, southeastern San Juan Basin, New Mexico: Geological Society of America Bulletin, v. 96, p. 661–673.

Ye, H., Royden, L., Burchfiel, C. and Schuepbach, M., 1996, Late Paleozoic deformation of interior North America, the greater ancestral Rocky Mountains: American Association of Petroleum Geologists Bulletin, v. 80, p. 1397–1432.

Yin, A. and Ingersoll, R., 1997, A model for evolution of Laramide axial basins in the southern Rocky Mountains, U.S.A.: International Geology Review, v. 39, p. 1113–1123.

Zidek, J., ed., 1992, Geology and paleontology of the Kinney Brick Quarry, Late Pennsylvanian, central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 138, 242 p.

Ziderveld, J. D. A., 1967, The natural remanent magnetizations of the Exeter volcanic traps: Tectonophysics, v. 42, p. 121–153.